



Counter stool with thermo-polymer seat and steel sled base finished in polished chrome, white or black. Optional upholstered seat pad or upholstered shell pad.

0.23 m³ 9 kg
8.12 Ft 19.84 Lbs

	Backrest height	Seat height	Width	Depth
Measures (mm)	840	640	500	470

Frame Sled base of 12 mm diameter steel rod. Polypropylene glides.

Seat Fiber glass reinforced polypropylene seat and back shell.

Back Fiber glass reinforced polypropylene seat and back shell.

Accessories Polypropylene, felt or steel glides.

Other materials Zinc-nickel electrolyte screws. Galvanized staples. Polyvinyl acetate glue.

	Fabrics / Telas	Faux Leather / Ecopiel	
Upholstery	1 Jacquard One Jacquard Three Sand Era Gravity Rivet Urban 2 Jacquard Two *Loom One Circular One Pure Eco 3 Jacquard Four Medley Revive 1 Main Line Flax Loom Two Mezzo	4 Jacquard 4 Special Nexus Floyd *Remix 3 Heritage Savane Loom Three Loom Four Cura Oceanic 5 Silk Synergy Step Step Melange Blazer Melange Nap Glow Chili Noma Re-wool	6 Go check Swing Chartres Loom Five Zori Patio 7 Canvas 2 Rime Select Clara 2 8 Capture Fiord 2 Tonus 4 Divina 3 Lopi Domino 9 Divina MD Divina Melange 3 Hallingdal 65 Steelcut Trio 3
		1 Valencia 2 Silvertex 3 Maglia 8 Ultraleather Original Ultraleather Linen Ultraleather Pearlized 9 Brisa Original Brisa Distressed Brisa Fresco Brisa Mokume Ultraleather Cora Outdoor Ultraleather Pony Ultraleather Pro Ultraleather Promessa Ultraleather Promessa Outdoor Ultraleather Dwell Ultratech EcoTech 10 Brisa Distressed Outdoor Ultraleather Distressed Outdoor Ultratech Helix Ultratech Wired	
		11 Ultraleather Reef Pro Ultraleather Volar Bio Ultratech Cove * Only available with parallel stitching upholstery. Solo en tapizado con costuras paralelas.	

Leather / Piel

- L1** High grade cow leather
Piel de vaca de 1ª categoría
- L3** Polished full grain leather
Plena flor pulida
- L6** Aniline leather batique-effect.
Scandinavian cattle.
Piel anilina efecto batique.
Ganado escandinavo.

Leather



Eco Thermo- polymer finish



Pure Eco Thermo- polymer finish



Steel finish

**RESISTANCE AND
QUALITY**

UNE-EN 16139:2013
ISO 9001

FIREPROOF

UNE-EN 1021-1:2006
B.S. 5852 Part 2 Crib V
California Tech.Bulletin 117
BKZ 5.2

SUSTAINABILITY

ISO 14001
level® 2 certified to ANSI/BIFMA e3 Standard