



Armchair with oak board shell and steel sled base finished in polished chrome, white or black. Upholstered seat pad or upholstered shell pad.

 0.29 m³  8.2 kg 
10.24 Ft 18.08 Lbs

	Backrest height	Seat height	Arm height	Width	Depth
Measures (mm)	750	460	640	600	570

Frame	Sled base of 12 mm diameter steel rod. Polypropylene glides.
Seat	Oak board.
Back	Oak board.
Arms	Oak board.
Accessories	Polypropylene, felt or steel glides.
Other materials	Zinc-nickel electrolyte screws. Galvanized screws. Polyvinyl acetate glue.

Fabrics / Telas

- 1** Jacquard One
Jacquard Three
Era
Gravity
Rivet
Urban

- 4** Jacquard 4 Special
Nexus
Floyd
Heritage
Savane
Loom Three
Loom Four
Cura
Oceanic

- 6** Go check
Swing
Chartres
Zori
Patio

- 7** Canvas 2
Rime
Select
Clara 2

- 8** Capture
Fiord 2
Tonus 4
Divina 3
Lopi
Domino

- 9** Divina MD
Divina Melange 3
Hallingdal 65
Steelcut Trio 3

Faux Leather / Ecopiel

- 1** Valencia
2 Silvertex
3 Maglia

- 8** Ultraleather Original
Ultraleather Linen
Ultraleather Pearlized

- 9** Brisa Original
Brisa Distressed
Brisa Fresco
Brisa Mokume
Ultraleather Cora Outdoor
Ultraleather Pony
Ultraleather Pro
Ultraleather Promessa
Ultraleather Promessa Outdoor
Ultraleather Dwell
Ultratech EcoTech

- 10** Brisa Distressed Outdoor
Ultraleather Distressed Outdoor
Ultratech Helix
Ultratech Wired

- 11** Ultraleather Reef Pro
Ultraleather Volar Bio
Ultratech Cove

Upholstery

- 2** Circular One Pure Eco

- 3** Jacquard Four
Medley
Revive 1
Main Line Flax
Loom Two
Mezzo

- 5** Silk
Synergy
Step
Step Melange
Blazer
Melange Nap
Glow
Chili
Noma
Re-wool


Leather / Piel

- L1** High grade cow leather
Piel de vaca de 1ª categoría

- L3** Polished full grain leather
Plena flor pulida

- L6** Aniline leather batique-effect.
Scandinavian cattle.
Piel anilina efecto batique.
Ganado escandinavo.


Leather



Leather finish



Premium finish and wood lacquers



Wood finish Oak



Polished chrome

Steel finish



Polished aluminum

White

Black

Aluminum finish

RESISTANCE AND QUALITY

UNE-EN 16139:2013
ISO 9001

FIREPROOF

UNE-EN 1021-1:2006
B.S. 5852 Part 2 Crib V
California Tech.Bulletin 117
BKZ 5.2

SUSTAINABILITY

ISO 14001
level® 2 certified to ANSI/BIFMA e3 Standard