



Armchair with oak board seat and backrest and 4-star central aluminum swivel base with self-return system and finished in polished aluminum, white or black. Optional upholstered seat pad.

📦 0.26 m³ 📦 9.18 Ft 📦 9.5 kg 📦 20.94 Lbs 📦

	Backrest height	Seat height	Arm height	Width	Depth
Measures (mm)	750	460	640	600	560

Frame	4-star central aluminum swivel base with self-return system and finished in polished aluminum, white or black. Polypropylene glides.
Seat	Oak board.
Back	Oak board.
Arms	Oak board.
Accessories	Polypropylene, felt or steel glides.
Other materials	Zinc-nickel electrolyte screws. Galvanized screws. Polyvinyl acetate glue.

Fabrics / Telas

- 1 Jacquard One
Jacquard Three
Era
Gravity
Rivet
Urban

- 4 Jacquard 4 Special
Nexus
Floyd
Heritage
Savane
Loom Three
Loom Four
Cura
Oceanic

- 6 Go check
Swing
Chartres
Zori
Patio

Faux Leather / Ecopiel

- 1 Valencia
- 2 Silvertex
- 3 Maglia

- 11 Ultraleather Reef Pro
Ultraleather Volar Bio
Ultratech Cove

- 8 Ultraleather Original
Ultraleather Linen
Ultraleather Pearlized

- 9 Brisa Original
Brisa Distressed
Brisa Fresco
Brisa Mokume

- Ultraleather Cora Outdoor
Ultraleather Pony
Ultraleather Pro
Ultraleather Promessa
Ultraleather Promessa Outdoor
Ultraleather Dwell
Ultratech EcoTech

- 10 Brisa Distressed Outdoor
Ultraleather Distressed Outdoor
Ultratech Helix
Ultratech Wired

Upholstery

- 2 Circular One Pure Eco

- 5 Silk
Synergy
Step
Step Melange
Blazer
Melange Nap
Glow
Chili
Noma
Re-wool

- 7 Canvas 2
Rime
Select
Clara 2

- 8 Capture
Fiord 2
Tonus 4
Divina 3
Lopi
Domino

- 9 Divina MD
Divina Melange 3
Hallingdal 65
Steelcut Trio 3


Leather / Piel

- L1 High grade cow leather
Piel de vaca de 1ª categoría

- L3 Polished full grain leather
Plena flor pulida

- L6 Aniline leather batique-effect.
Scandinavian cattle.
Piel anilina efecto batique.
Ganado escandinavo.

Leather



Leather finish



Premium finish and wood lacquers



Wood finish Oak



Aluminum finish

RESISTANCE AND QUALITY	UNE-EN 16139:2013 ISO 9001
FIREPROOF	UNE-EN 1021-1:2006 B.S. 5852 Part 2 Crib V California Tech.Bulletin 117 BKZ 5.2
SUSTAINABILITY	ISO 14001 level® 2 certified to ANSI/BIFMA e3 Standard