



Armchair with oak board seat and backrest and aluminum central base with 5 casters, swivel and pneumatic height adjustment. Available in polished aluminum, white or black. Optional upholstered seat pad.

📦 0.32 m³ 📦 11.3 Ft 📦 8.4 kg 📦 18.52 Lbs 📦

	Backrest height	Seat height	Arm height	Width	Depth
Measures (mm)	710	420	600	625	660

Frame	Central aluminum base with 5 casters, swivel and height-adjustable and finished in polished aluminum, white or black. The piston raises to 120 mm.
Seat	Oak board.
Back	Oak board.
Arms	Oak board.
Accessories	Polypropylene, felt or steel glides.
Other materials	Zinc-nickel electrolyte screws. Galvanized screws. Polyvinyl acetate glue.

Fabrics / Telas

- 1 Jacquard One
Jacquard Three
Era
Gravity
Rivet
Urban

- 4 Jacquard 4 Special
Nexus
Floyd
Heritage
Savane
Loom Three
Loom Four
Cura
Oceanic

- 6 Go check
Swing
Chartres
Zori
Patio

Faux Leather / Ecopiel

- 1 Valencia
- 2 Silvertex
- 3 Maglia

- 11 Ultraleather Reef Pro
Ultraleather Volar Bio
Ultratech Cove

- 8 Ultraleather Original
Ultraleather Linen
Ultraleather Pearlized

- 9 Brisa Original
Brisa Distressed
Brisa Fresco
Brisa Mokume

- Ultraleather Cora Outdoor
Ultraleather Pony
Ultraleather Pro
Ultraleather Promessa
Ultraleather Promessa Outdoor
Ultraleather Dwell
Ultratech EcoTech

- 10 Brisa Distressed Outdoor
Ultraleather Distressed Outdoor
Ultratech Helix
Ultratech Wired

Upholstery

- 2 Circular One Pure Eco

- 5 Silk
Synergy
Step
Step Melange
Blazer
Melange Nap
Glow
Chili
Noma
Re-wool

- 7 Canvas 2
Rime
Select
Clara 2

- 8 Capture
Fiord 2
Tonus 4
Divina 3
Lopi
Domino

- 9 Divina MD
Divina Melange 3
Hallingdal 65
Steelcut Trio 3


Leather / Piel

- L1 High grade cow leather
Piel de vaca de 1ª categoría

- L3 Polished full grain leather
Plena flor pulida

- L6 Aniline leather batique-effect.
Scandinavian cattle.
Piel anilina efecto batique.
Ganado escandinavo.


Leather



Leather finish



Premium finish and wood lacquers



Wood finish Oak



Aluminum finish

RESISTANCE AND QUALITY

UNE-EN 16139:2013
ISO 9001

FIREPROOF

UNE-EN 1021-1:2006
B.S. 5852 Part 2 Crib V
California Tech.Bulletin 117
BKZ 5.2

SUSTAINABILITY

ISO 14001
level® 2 certified to ANSI/BIFMA e3 Standard